


## Cylinder saw HSS bi-metal

For use in all steel materials, plus cast metal, copper, bronze, aluminium, plastics and wood

- Number of teeth: 6"

|               |       |
|---------------|-------|
| Cutting depth | 32 mm |
|---------------|-------|



| Diameter (Ø) | Recommended rotation speed in soft steel | Recommended rotation speed in tool steel and stainless steel | Recommended rotation speed in cast iron | Recommended rotation speed in brass | Recommended rotation speed in aluminium | Art. no.       | P. Qty. |
|--------------|--|--|---|-------------------------------------|---|----------------|---------|
| 14 mm        | 580 rpm                                  | 300 rpm  | 400 rpm                                 | 790 rpm                             | 900 rpm                                 | <b>0632 14</b> | 1       |
| 16 mm        | 550 rpm                                  | 275 rpm  | 365 rpm                                 | 730 rpm                             | 825 rpm                                 | <b>0632 16</b> | 1       |
| 17 mm        | 500 rpm                                  | 250 rpm  | 330 rpm                                 | 665 rpm                             | 750 rpm                                 | <b>0632 17</b> | 1       |
| 19 mm        | 460 rpm                                  | 230 rpm  | 300 rpm                                 | 600 rpm                             | 690 rpm                                 | <b>0632 19</b> | 1       |
| 20 mm        | 445 rpm                                  | 220 rpm  | 290 rpm                                 | 580 rpm                             | 660 rpm                                 | <b>0632 20</b> | 1       |
| 21 mm        | 425 rpm                                  | 210 rpm  | 280 rpm                                 | 560 rpm                             | 630 rpm                                 | <b>0632 21</b> | 1       |
| 22 mm        | 390 rpm                                  | 195 rpm  | 260 rpm                                 | 520 rpm                             | 585 rpm                                 | <b>0632 22</b> | 1       |
| 24 mm        | 370 rpm                                  | 185 rpm  | 245 rpm                                 | 495 rpm                             | 555 rpm                                 | <b>0632 24</b> | 1       |
| 25 mm        | 350 rpm                                  | 175 rpm  | 235 rpm                                 | 470 rpm                             | 525 rpm                                 | <b>0632 25</b> | 1       |
| 27 mm        | 325 rpm                                  | 160 rpm  | 215 rpm                                 | 435 rpm                             | 480 rpm                                 | <b>0632 27</b> | 1       |
| 29 mm        | 300 rpm                                  | 150 rpm  | 200 rpm                                 | 400 rpm                             | 450 rpm                                 | <b>0632 29</b> | 1       |
| 30 mm        | 285 rpm                                  | 145 rpm  | 190 rpm                                 | 380 rpm                             | 425 rpm                                 | <b>0632 30</b> | 1       |
| 32 mm        | 275 rpm                                  | 140 rpm  | 180 rpm                                 | 360 rpm                             | 410 rpm                                 | <b>0632 32</b> | 1       |
| 33 mm        | 260 rpm                                  | 135 rpm  | 175 rpm                                 | 345 rpm                             | 390 rpm                                 | <b>0632 33</b> | 1       |
| 35 mm        | 250 rpm                                  | 125 rpm  | 165 rpm                                 | 330 rpm                             | 375 rpm                                 | <b>0632 35</b> | 1       |
| 37 mm        | 240 rpm                                  | 120 rpm  | 160 rpm                                 | 315 rpm                             | 360 rpm                                 | <b>0632 37</b> | 1       |
| 38 mm        | 230 rpm                                  | 115 rpm  | 150 rpm                                 | 300 rpm                             | 345 rpm                                 | <b>0632 38</b> | 1       |
| 40 mm        | 220 rpm                                  | 110 rpm  | 145 rpm                                 | 290 rpm                             | 330 rpm                                 | <b>0632 40</b> | 1       |
| 41 mm        | 210 rpm                                  | 105 rpm  | 140 rpm                                 | 280 rpm                             | 315 rpm                                 | <b>0632 41</b> | 1       |
| 43 mm        | 205 rpm                                  | 100 rpm  | 135 rpm                                 | 270 rpm                             | 305 rpm                                 | <b>0632 43</b> | 1       |
| 44 mm        | 195 rpm                                  | 95 rpm   | 130 rpm                                 | 260 rpm                             | 295 rpm                                 | <b>0632 44</b> | 1       |

| Diameter (Ø) | Recommended rotation speed in soft steel | Recommended rotation speed in tool steel and stainless steel | Recommended rotation speed in cast iron | Recommended rotation speed in brass | Recommended rotation speed in aluminium | Art. no.          | P. Qty. |
|--------------|--|--|---|-------------------------------------|---|-------------------|---------|
| 46 mm        | 190 rpm                                  | 95 rpm   | 125 rpm                                 | 250 rpm                             | 285 rpm                                 | <b>0632 46</b>    | 1       |
| 48 mm        | 180 rpm                                  | 90 rpm   | 120 rpm                                 | 240 rpm                             | 270 rpm                                 | <b>0632 48</b>    | 1       |
| 51 mm        | 170 rpm                                  | 85 rpm   | 115 rpm                                 | 230 rpm                             | 255 rpm                                 | <b>0632 51</b>    | 1       |
| 52 mm        | 165 rpm                                  | 80 rpm   | 110 rpm                                 | 220 rpm                             | 245 rpm                                 | <b>0632 52</b>    | 1       |
| 54 mm        | 160 rpm                                  | 80 rpm   | 105 rpm                                 | 210 rpm                             | 240 rpm                                 | <b>0632 54</b>    | 1       |
| 57 mm        | 150 rpm                                  | 75 rpm   | 100 rpm                                 | 200 rpm                             | 225 rpm                                 | <b>0632 57</b>    | 1       |
| 59 mm        | 145 rpm                                  | 75 rpm   | 100 rpm                                 | 195 rpm                             | 225 rpm                                 | <b>0632 59</b>    | 1       |
| 60 mm        | 140 rpm                                  | 70 rpm   | 95 rpm                                  | 190 rpm                             | 220 rpm                                 | <b>0632 60</b>    | 1       |
| 64 mm        | 135 rpm                                  | 65 rpm   | 90 rpm                                  | 180 rpm                             | 205 rpm                                 | <b>0632 64</b>    | 1       |
| 65 mm        | 130 rpm                                  | 65 rpm   | 85 rpm                                  | 170 rpm                             | 195 rpm                                 | <b>0632 65</b>    | 1       |
| 67 mm        | 130 rpm                                  | 65 rpm   | 85 rpm                                  | 170 rpm                             | 195 rpm                                 | <b>0632 67</b>    | 1       |
| 68 mm        | 130 rpm                                  | 65 rpm   | 85 rpm                                  | 165 rpm                             | 190 rpm                                 | <b>0632 68</b>    | 1       |
| 70 mm        | 125 rpm                                  | 60 rpm   | 80 rpm                                  | 160 rpm                             | 185 rpm                                 | <b>0632 70</b>    | 1       |
| 73 mm        | 120 rpm                                  | 60 rpm   | 80 rpm                                  | 160 rpm                             | 180 rpm                                 | <b>0632 73</b>    | 1       |
| 74 mm        | 120 rpm                                  | 60 rpm   | 80 rpm                                  | 160 rpm                             | 180 rpm                                 | <b>0632 74</b>    | 1       |
| 76 mm        | 115 rpm                                  | 55 rpm   | 75 rpm                                  | 150 rpm                             | 170 rpm                                 | <b>0632 76</b>    | 1       |
| 79 mm        | 110 rpm                                  | 55 rpm   | 70 rpm                                  | 140 rpm                             | 165 rpm                                 | <b>0632 79</b>    | 1       |
| 83 mm        | 105 rpm                                  | 50 rpm   | 70 rpm                                  | 140 rpm                             | 155 rpm                                 | <b>0632 83</b>    | 1       |
| 86 mm        | 100 rpm                                  | 50 rpm   | 65 rpm                                  | 130 rpm                             | 150 rpm                                 | <b>0632 86</b>    | 1       |
| 89 mm        | 95 rpm                                   | 45 rpm   | 65 rpm                                  | 130 rpm                             | 145 rpm                                 | <b>0632 89</b>    | 1       |
| 92 mm        | 95 rpm                                   | 45 rpm   | 60 rpm                                  | 120 rpm                             | 140 rpm                                 | <b>0632 92</b>    | 1       |
| 95 mm        | 90 rpm                                   | 45 rpm   | 60 rpm                                  | 120 rpm                             | 135 rpm                                 | <b>0632 95</b>    | 1       |
| 98 mm        | 90 rpm                                   | 45 rpm   | 60 rpm                                  | 120 rpm                             | 135 rpm                                 | <b>0632 98</b>    | 1       |
| 102 mm       | 85 rpm                                   | 40 rpm   | 55 rpm                                  | 110 rpm                             | 130 rpm                                 | <b>0632 102</b>   | 1       |
| 105 mm       | 80 rpm                                   | 40 rpm   | 55 rpm                                  | 110 rpm                             | 120 rpm                                 | <b>0632 105</b>   | 1       |
| 108 mm       | 80 rpm                                   | 40 rpm   | 55 rpm                                  | 110 rpm                             | 120 rpm                                 | <b>0632 108</b>   | 1       |
| 111 mm       | 80 rpm                                   | 40 rpm   | 50 rpm                                  | 100 rpm                             | 120 rpm                                 | <b>0632 111 0</b> | 1       |
| 114 mm       | 75 rpm                                   | 35 rpm   | 50 rpm                                  | 100 rpm                             | 105 rpm                                 | <b>0632 114</b>   | 1       |
| 121 mm       | 70 rpm                                   | 35 rpm   | 45 rpm                                  | 90 rpm                              | 95 rpm                                  | <b>0632 121</b>   | 1       |
| 127 mm       | 65 rpm                                   | 30 rpm   | 40 rpm                                  | 85 rpm                              | 90 rpm                                  | <b>0632 127</b>   | 1       |
| 140 mm       | 60 rpm                                   | 30 rpm   | 35 rpm                                  | 80 rpm                              | 85 rpm                                  | <b>0632 140</b>   | 1       |
| 152 mm       | 55 rpm                                   | 25 rpm   | 35 rpm                                  | 75 rpm                              | 85 rpm                                  | <b>0632 152</b>   | 1       |

### Notice

When working with metals (except cast iron), use drilling and cutting oil. Using oil ensures a clean cut and extends the service life of the cylinder saws.

| Related products for | Designation                       | Art. no.            |
|----------------------|-----------------------------------|---------------------|
| 0632 14              | Slinger spring A7                 | <b>0632 07</b>      |
|                      | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                      | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 16              | Slinger spring A7                 | <b>0632 07</b>      |
|                      | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                      | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 17              | Slinger spring A7                 | <b>0632 07</b>      |
|                      | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                      | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |

| <b>Related products for</b> | <b>Designation</b>                | <b>Art. no.</b>     |
|-----------------------------|-----------------------------------|---------------------|
| 0632 19                     | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 20                     | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 21                     | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 22                     | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 24                     | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 25                     | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 27                     | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 29                     | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 30                     | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 32                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 33                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 35                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 37                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 38                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |

| <b>Related products for</b> | <b>Designation</b>                | <b>Art. no.</b>     |
|-----------------------------|-----------------------------------|---------------------|
| 0632 40                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 41                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 43                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 44                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 46                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 48                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 51                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 52                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 54                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 57                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |

| <b>Related products for</b> | <b>Designation</b>                | <b>Art. no.</b>     |
|-----------------------------|-----------------------------------|---------------------|
| 0632 59                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 60                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 64                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 65                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 67                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 68                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 70                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 73                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 74                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 76                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |

| <b>Related products for</b> | <b>Designation</b>                | <b>Art. no.</b>     |
|-----------------------------|-----------------------------------|---------------------|
| 0632 79                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 83                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 86                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 89                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 92                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 95                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 98                     | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 102                    | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 105                    | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 108                    | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |

| <b>Related products for</b> | <b>Designation</b>                | <b>Art. no.</b>     |
|-----------------------------|-----------------------------------|---------------------|
| 0632 111 0                  | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 114                    | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 121                    | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 127                    | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 140                    | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |
| 0632 152                    | Arbor A2                          | <b>0632 02</b>      |
|                             | Extension for cylinder saws       | <b>0632 05</b>      |
|                             | Slinger spring A7                 | <b>0632 07</b>      |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 004</b> |
|                             | Cutting and drilling oil CUT+COOL | <b>0893 050 1</b>   |